

EAST Search History**EAST Search History (Prior Art)**

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|---------|---|-------|------------------|---------|------------------|
| S1 | 3871298 | ((@ad< "20040225" or @rlad< "20040225")) | USPAT | OR | OFF | 2008/02/26 16:18 |
| S2 | 2358 | S1 and 709/229.ccls. | USPAT | OR | OFF | 2008/02/26 16:18 |
| S3 | 10034 | (client same configuration) | USPAT | OR | OFF | 2008/02/26 16:21 |
| S4 | 153341 | (policy or rule) | USPAT | OR | OFF | 2008/02/26 16:21 |
| S5 | 758484 | (access or restrict) | USPAT | OR | OFF | 2008/02/26 16:22 |
| S6 | 9750 | S1 and S3 | USPAT | OR | OFF | 2008/02/26 16:23 |
| S7 | 2721 | S6 and S4 | USPAT | OR | OFF | 2008/02/26 16:23 |
| S8 | 2579 | S7 and S5 | USPAT | OR | OFF | 2008/02/26 16:23 |
| S9 | 110 | S8 and (determine with configuration with client) | USPAT | OR | OFF | 2008/02/26 16:24 |
| S10 | 9 | S9 and (policy with configuration) | USPAT | OR | OFF | 2008/02/26 16:25 |
| S11 | 0 | S1 and (policy same "configuration of a client") | USPAT | OR | OFF | 2008/02/26 16:28 |
| S12 | 6 | S1 and (policy same "client configuration") | USPAT | OR | OFF | 2008/02/26 16:28 |
| S13 | 0 | S1 and (policy adj2 "based on") | USPAT | OR | OFF | 2008/02/26 16:33 |
| S14 | 91 | S1 and (policy adj2 "based upon") | USPAT | OR | OFF | 2008/02/26 16:34 |
| S15 | 78 | S1 and (policy adj2 "based upon") and (access or restrict) | USPAT | OR | OFF | 2008/02/26 16:34 |
| S16 | 61 | S1 and (policy adj2 "based upon") and (access or restrict) and (configuration or security) | USPAT | OR | OFF | 2008/02/26 16:35 |
| S17 | 41 | S1 and (policy adj2 "based upon") and ((access or restrict) same(configuration or security)) | USPAT | OR | OFF | 2008/02/26 16:35 |
| S18 | 11 | S1 and (policy adj2 "based upon") and ((access or restrict) same(configuration or security)) and request and download | USPAT | OR | OFF | 2008/02/26 16:47 |

| | | | | | | |
|-----|------|--|-------|----|-----|---------------------|
| S19 | 80 | S1 and (policy same "based upon") and ((access or restrict) same(configuration or security)) and request and download | USPAT | OR | OFF | 2008/02/26 16:53 |
| S20 | 124 | S1 and ((policy same firewall) same (configuration or security)) and request and download | USPAT | OR | OFF | 2008/02/26 17:30 |
| S21 | 9 | S19 and S20 | USPAT | OR | OFF | 2008/02/26 17:31 |
| S22 | 133 | S1 and (((policy or policies) same firewall) same (configuration or security)) and request and download | USPAT | OR | OFF | 2008/02/26 18:14 |
| S23 | 97 | S1 and ((policy or policies) same "based upon") and ((access or restrict) same (configuration or security)) and request and download | USPAT | OR | OFF | 2008/02/26 18:16 |
| S24 | 11 | S22 and S23 | USPAT | OR | OFF | 2008/02/26 18:16 |
| S25 | 2 | S1 and ((restrict or prevent or stop or inhibit or block) same (firewall near3 download)) | USPAT | OR | OFF | 2008/02/26 20:03 |
| S26 | 17 | S1 and ((restrict or prevent or stop or inhibit or block) same (firewall same download)) | USPAT | OR | OFF | 2008/02/26 20:05 |
| S27 | 4110 | S1 and ((restrict or prevent or stop or inhibit or block) same (upload or download)) | USPAT | OR | OFF | 2008/02/26 20:20 |
| S28 | 280 | S1 and ((restrict or prevent or stop or inhibit or block) same (upload or download)) and firewall | USPAT | OR | OFF | 2008/02/26 20:20 |
| S29 | 130 | S1 and ((restrict or prevent or stop or inhibit or block) same (upload or download)) and firewall and "709"/.ccls. | USPAT | OR | OFF | 2008/02/26 20:20 |
| S30 | 15 | S1 and ((restrict or prevent or stop or inhibit or block) near3 (upload or download)) and firewall and "709"/.ccls. | USPAT | OR | OFF | 2008/02/26 20:20 |
| S31 | 446 | S1 and ((restrict or prevent or stop or inhibit or block) near3 (access)) and firewall and "709"/.ccls. | USPAT | OR | OFF | 2008/02/26 20:23 |
| S32 | 353 | S1 and ((restrict or prevent or stop or inhibit) near3 (access)) and firewall and "709"/.ccls. | USPAT | OR | OFF | 2008/02/26 20:23 |

| | | | | | | |
|-----|---------|--|-------|----|-----|---------------------|
| S33 | 84 | S1 and ((restrict or prevent or stop or inhibit) near3 (access)) and firewall and 709/229.ccls. | USPAT | OR | OFF | 2008/02/26 20:24 |
| S34 | 74 | S1 and ((restrict or prevent or stop or inhibit) near3 (access)) and firewall and 709/229.ccls. and security | USPAT | OR | OFF | 2008/02/26 20:24 |
| S35 | 47 | S1 and ((restrict or prevent or stop or inhibit) near3 (access)) and firewall and 709/229.ccls. and (policy or policies) | USPAT | OR | OFF | 2008/02/26 20:25 |
| S36 | 6 | S1 and "dynamic policy" and security and firewall | USPAT | OR | OFF | 2008/02/26 20:30 |
| S37 | 2 | S1 and "virtual sandbox" | USPAT | OR | OFF | 2008/02/26 20:54 |
| S38 | 373 | S1 and (intercept near4 communication) | USPAT | OR | OFF | 2008/02/26 21:07 |
| S39 | 6 | S2 and (intercept near4 communication) | USPAT | OR | OFF | 2008/02/26 21:08 |
| S40 | 1660 | S1 and (intercept near4 (data or communication)) | USPAT | OR | OFF | 2008/02/26 21:35 |
| S41 | 0 | S1 and (inhibit adj4 "file save") | USPAT | OR | OFF | 2008/02/26 21:36 |
| S42 | 0 | S1 and (inhibit same "file save") | USPAT | OR | OFF | 2008/02/26 21:36 |
| S43 | 0 | S1 and (inhibit adj5 (file near2 save)) | USPAT | OR | OFF | 2008/02/26 21:37 |
| S44 | 0 | S1 and ((inhibit or prevent) adj5 (file near2 save)) | USPAT | OR | OFF | 2008/02/26 21:37 |
| S45 | 1 | S1 and ((inhibit or prevent) adj5 (file near4 save)) | USPAT | OR | OFF | 2008/02/26 21:37 |
| S46 | 8 | S1 and ((inhibit or prevent) adj5 (file near4 (save or print))) | USPAT | OR | OFF | 2008/02/26 21:38 |
| S47 | 0 | S46 and S40 | USPAT | OR | OFF | 2008/02/26 21:39 |
| S48 | 20 | S40 and ((save or print or launch or redirect) near3 file) | USPAT | OR | OFF | 2008/02/26 21:42 |
| S49 | 3 | S40 and (intercept same ((save or print or launch or redirect) near3 file)) | USPAT | OR | OFF | 2008/02/26 21:47 |
| S50 | 60 | S40 and (intercept same (save or print or launch or redirect)) | USPAT | OR | OFF | 2008/02/26 21:54 |
| S51 | 163 | S40 and download | USPAT | OR | OFF | 2008/02/26 22:07 |
| S52 | 8 | S40 and (download same intercept) | USPAT | OR | OFF | 2008/02/26 22:08 |
| S53 | 3871298 | ((@ad< "20040225" or @rlad< "20040225") | USPAT | OR | OFF | 2008/02/26 23:12 |

| | | | | | | |
|-----|---------|---|-------|----|-----|---------------------|
| S54 | 3871298 | S53 | USPAT | OR | OFF | 2008/02/26 23:12 |
| S55 | 41 | S53 and (determine adj3 configuration near7 client) | USPAT | OR | OFF | 2008/02/26 23:13 |
| S56 | 15 | S53 and (determine adj3 configuration near7 client) and connect | USPAT | OR | OFF | 2008/02/26 23:26 |
| S57 | 3871298 | ((@ad< "20040225" or @rlad< "20040225")) | USPAT | OR | OFF | 2008/02/27 18:02 |
| S58 | 0 | S57 and "level of trust" | USPAT | OR | OFF | 2008/02/27 18:02 |
| S59 | 121 | S57 and "trust level" | USPAT | OR | OFF | 2008/02/27 18:02 |
| S60 | 0 | S57 and ((determine adj4 characteristic) same "security application") | USPAT | OR | OFF | 2008/02/27 18:14 |
| S61 | 13 | S57 and ((determine adj4 characteristic) same security) | USPAT | OR | OFF | 2008/02/27 18:14 |
| S62 | 0 | S57 and ((determine adj4 presence) same hacker) | USPAT | OR | OFF | 2008/02/27 18:23 |
| S63 | 0 | S57 and (hacker-tool) | USPAT | OR | OFF | 2008/02/27 18:24 |
| S64 | 0 | S57 and ("hacker-tool") | USPAT | OR | OFF | 2008/02/27 18:24 |
| S65 | 5 | S57 and ("hacker tool") | USPAT | OR | OFF | 2008/02/27 18:24 |
| S66 | 4 | S57 and (((prevent or block or inhibit) adj3 download) adj4 client) | USPAT | OR | OFF | 2008/02/27 18:41 |
| S67 | 2 | S57 and ((firewall same download) adj4 client) | USPAT | OR | OFF | 2008/02/27 18:44 |
| S68 | 51 | S57 and ((firewall same download) same client) | USPAT | OR | OFF | 2008/02/27 18:53 |
| S69 | 5 | S57 and ((prevent adj2 download) and client) | USPAT | OR | OFF | 2008/02/27 18:55 |
| S70 | 146 | S57 and ((determine adj5 configuration) same "operating system") | USPAT | OR | OFF | 2008/02/27 19:16 |
| S71 | 109 | S57 and ((determine adj3 configuration) same "operating system") | USPAT | OR | OFF | 2008/02/27 19:16 |
| S72 | 5 | S57 and ((determine adj2 configuration) adj6 "operating system") | USPAT | OR | OFF | 2008/02/27 19:16 |
| S73 | 81 | S57 and ((determine adj2 configuration) same "operating system") | USPAT | OR | OFF | 2008/02/27 19:22 |
| S74 | 0 | S57 and ((determine adj2 level) same "security software") | USPAT | OR | OFF | 2008/02/27 19:37 |
| S75 | 189 | S57 and ((determine adj2 level) same security) | USPAT | OR | OFF | 2008/02/27 19:37 |

| | | | | | | |
|-----|----|---|-------|----|-----|------------------|
| S76 | 70 | S57 and ((determine adj2 "security level")) | USPAT | OR | OFF | 2008/02/27 19:38 |
| S77 | 0 | S57 and ((determine adj2 "security level") adj5 software) | USPAT | OR | OFF | 2008/02/27 19:49 |
| S79 | 3 | S57 and ((determine adj2 "security level") same software) | USPAT | OR | OFF | 2008/02/27 19:49 |
| S80 | 1 | S57 and ((determine adj2 (connector or adapter or adapter)) same access same resource) | USPAT | OR | OFF | 2008/02/27 19:54 |
| S81 | 64 | S57 and ((determine adj5 (connector or adapter or adapter)) same access) | USPAT | OR | OFF | 2008/02/27 19:58 |
| S82 | 2 | S57 and ((determine adj5 (connector or adapter or adapter)) same access same resource) | USPAT | OR | OFF | 2008/02/27 19:58 |
| S83 | 2 | S57 and (terminate same client same ((delete adj2 cache) or (delete adj2 temporary) or (enabling adj2 "disabled system command"))) | USPAT | OR | OFF | 2008/02/27 20:26 |
| S84 | 0 | S57 and (((terminate or end or sever) adj5 communication) same ((delete adj2 cache) or (delete adj2 temporary) or (enabling adj2 "disabled system command"))) | USPAT | OR | OFF | 2008/02/27 20:29 |
| S85 | 0 | S57 and (((terminate or end or sever) same communication) same ((delete adj2 cache) or (delete adj2 temporary) or (enabling adj2 "disabled system command"))) | USPAT | OR | OFF | 2008/02/27 20:29 |
| S86 | 15 | S57 and (((terminate or end or sever) same communication) and ((delete adj2 cache) or (delete adj2 temporary) or (enabling adj2 "disabled system command"))) | USPAT | OR | OFF | 2008/02/27 20:30 |
| S87 | 22 | S57 and (client same ((delete adj2 cache) or (delete adj2 temporary) or (enabling adj2 "disabled system command"))) | USPAT | OR | OFF | 2008/02/27 20:33 |
| S88 | 1 | "6766407".pn. | USPAT | OR | OFF | 2008/02/28 20:48 |
| S89 | 1 | "6684253".pn. | USPAT | OR | OFF | 2008/02/28 21:12 |

| | | | | | | |
|------|---------|---|--------------------|----|-----|---------------------|
| S90 | 1 | "7337174".pn. | USPAT | OR | OFF | 2008/02/28 21:49 |
| S91 | 3874328 | (@ad<"20040225" or @rlad<"20040225") | USPAT | OR | OFF | 2008/03/17 12:36 |
| S92 | 16347 | S91 and request and client and resource | USPAT | OR | OFF | 2008/03/17 12:36 |
| S93 | 1236 | client with request with resource | USPAT | OR | OFF | 2008/03/17 12:37 |
| S94 | 3130 | determine same (configuration or type or contents or makeup or style) same client | USPAT | OR | OFF | 2008/03/17 12:39 |
| S95 | 204 | S93 and S94 | USPAT | OR | OFF | 2008/03/17 12:39 |
| S96 | 274 | (restrict or inhibit or prevent or partial) with access with resource | USPAT | OR | OFF | 2008/03/17 12:40 |
| S97 | 6 | S94 and S95 and S96 | USPAT | OR | OFF | 2008/03/17 12:40 |
| S98 | 3235 | (determine or analyze) same (configuration or type or contents or makeup or style) same client | USPAT | OR | OFF | 2008/03/17 12:42 |
| S99 | 9 | S98 and S96 | USPAT | OR | OFF | 2008/03/17 12:43 |
| S100 | 6 | S98 and S96 and S93 | USPAT | OR | OFF | 2008/03/17 12:46 |
| S101 | 1 | "6766407".pn. | USPAT | OR | OFF | 2008/03/17 21:44 |
| S102 | 2025 | (determin\$5 analy\$5 inspect \$4) with client with configuration | US-PGPUB; USPAT | OR | OFF | 2008/11/23 18:34 |
| S103 | 4436 | download\$4 with (agent\$4 spy \$4 snoop\$4 inspect\$4) | US-PGPUB; USPAT | OR | OFF | 2008/11/23 18:36 |
| S104 | 18 | S102 same S103 | US-PGPUB; USPAT | OR | OFF | 2008/11/23 18:36 |
| S105 | 12519 | (determin\$5 analy\$5 inspect \$4) with (user client) with configuration | US-PGPUB; USPAT | OR | ON | 2008/11/23 18:38 |
| S106 | 15481 | download\$4 with (agent\$4 spy \$4 snoop\$4 inspect\$4 module) | US-PGPUB; USPAT | OR | OFF | 2008/11/23 18:38 |
| S107 | 65 | S105 same S106 | US-PGPUB; USPAT | OR | OFF | 2008/11/23 18:38 |
| S108 | 3921650 | (@ad<"20040225" or @rlad<"20040225") | USPAT | OR | OFF | 2008/11/23 18:38 |
| S109 | 3921650 | S108 | US-PGPUB; USPAT | OR | OFF | 2008/11/23 18:38 |
| S110 | 14 | S109 and S107 | US-PGPUB; USPAT | OR | OFF | 2008/11/23 18:38 |
| S111 | 0 | S110 and kiosk | US-PGPUB; USPAT | OR | OFF | 2008/11/23 18:46 |

| | | | | | | |
|------|------|--|-----------------|----|-----|------------------|
| S112 | 281 | (determin\$5 analy\$5 inspect \$4) with (user client) with kiosk | US-PGPUB; USPAT | OR | ON | 2008/11/23 18:46 |
| S113 | 67 | S108 and S112 | US-PGPUB; USPAT | OR | ON | 2008/11/23 18:46 |
| S114 | 3898 | (determin\$5) with (user client) with (configuration type) with (kiosk personal computer laptop mobile) | US-PGPUB; USPAT | OR | ON | 2008/11/23 19:17 |
| S115 | 1299 | (determin\$5) with (user client) with (configuration type) with (kiosk personal laptop mobile) | US-PGPUB; USPAT | OR | ON | 2008/11/23 19:17 |
| S116 | 0 | (determin\$5) with (user client) with (configuration type) with (kiosk and personal and laptop and mobile) | US-PGPUB; USPAT | OR | ON | 2008/11/23 19:18 |
| S117 | 381 | (determin\$5) with (user client) with (configuration type) and (kiosk and personal and laptop and mobile) | US-PGPUB; USPAT | OR | ON | 2008/11/23 19:18 |
| S118 | 381 | ((determin\$5) with (user client) with (configuration type)) and (kiosk and personal and laptop and mobile) | US-PGPUB; USPAT | OR | ON | 2008/11/23 19:19 |
| S119 | 0 | ((determin\$5) with (user client) with (configuration type)) same (kiosk and personal and laptop and mobile) | US-PGPUB; USPAT | OR | ON | 2008/11/23 19:19 |
| S120 | 50 | S118 and S108 | US-PGPUB; USPAT | OR | ON | 2008/11/23 19:19 |
| S121 | 1397 | ((determin\$5) with (user client)) and (kiosk and personal and laptop and mobile) | US-PGPUB; USPAT | OR | ON | 2008/11/23 19:20 |
| S122 | 5 | ((determin\$5) with (user client)) same (kiosk and personal and laptop and mobile) | US-PGPUB; USPAT | OR | ON | 2008/11/23 19:20 |
| S123 | 0 | "virtual sandbox" same security same enabl\$4 same disabl\$4 | US-PGPUB; USPAT | OR | ON | 2008/11/24 11:14 |
| S124 | 0 | "virtual sandbox" same enabl\$4 same disabl\$4 | US-PGPUB; USPAT | OR | ON | 2008/11/24 11:14 |
| S125 | 12 | "virtual sandbox" | US-PGPUB; USPAT | OR | ON | 2008/11/24 11:15 |
| S126 | 950 | (determin\$4 whether) with (security anti-virus antivirus hacker) with (enabled active) | US-PGPUB; USPAT | OR | OFF | 2009/04/16 14:20 |
| S128 | 51 | S126 with client | US-PGPUB; USPAT | OR | OFF | 2009/04/16 14:21 |

| | | | | | | |
|------|---------|---|---|----|-----|---------------------|
| S129 | 3851667 | @ad<"20040225" | USPAT | OR | OFF | 2009/04/16 14:21 |
| S130 | 12 | S128 and S129 | USPAT | OR | OFF | 2009/04/16 14:21 |
| S131 | 6 | "hacker tool" | USPAT | OR | OFF | 2009/04/16 14:27 |
| S132 | 0 | S126 and S131 | USPAT | OR | OFF | 2009/04/16 14:27 |
| S133 | 289 | S126 and S129 | USPAT | OR | OFF | 2009/04/16 14:27 |
| S134 | 6 | S129 and S131 | USPAT | OR | OFF | 2009/04/16 14:29 |
| S135 | 11 | S133 and (hacker "virtual sandbox") | US-PGPUB; USPAT | OR | OFF | 2009/04/16 14:31 |
| S143 | 184 | (antivirus anti-virus) with client with (detect\$4 determin \$6) | US-PGPUB; USPAT | OR | OFF | 2009/04/16 15:36 |
| S144 | 6 | (antivirus anti-virus) with client with (detect\$4 determin \$6) with (enabled active) | US-PGPUB; USPAT | OR | OFF | 2009/04/16 15:36 |
| S145 | 1 | S144 and S129 | US-PGPUB; USPAT | OR | OFF | 2009/04/16 15:36 |
| S146 | 387 | "network sniffer" "screen scraper" "password cracker" | US-PGPUB; USPAT | OR | OFF | 2009/04/24 21:47 |
| S147 | 4786390 | @ad<"20040525" | US-PGPUB; USPAT | OR | OFF | 2009/04/24 21:51 |
| S148 | 252 | S146 and S147 | US-PGPUB; USPAT | OR | OFF | 2009/04/24 21:51 |
| S149 | 21 | download with client with (survey\$4 inspect\$4 audit\$4 detect\$4) with (list configuration) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 21:55 |
| S150 | 0 | S148 and S149 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 21:56 |
| S151 | 11 | S147 and S149 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 21:56 |
| S152 | 83 | download\$4 with client with (survey\$4 inspect\$4 audit\$4 detect\$4) with (list configuration report\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 22:03 |

| | | | | | | |
|------|--------|--|---|----|----|---------------------|
| S153 | 45 | S147 and S152 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 22:03 |
| S154 | 57 | client with (survey\$4 inspect \$4 audit\$4 detect\$4 determin \$6) with (security anti-virus filter) with active | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 22:42 |
| S155 | 32 | S154 and S147 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 22:42 |
| S156 | 0 | S146 and S155 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 22:42 |
| S157 | 246433 | download\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 22:46 |
| S158 | 11 | S155 and S157 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 22:46 |
| S159 | 0 | "whether to download" with client | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 23:00 |
| S160 | 0 | "whether to download" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 23:00 |
| S161 | 0 | download\$4 with "only if" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 23:02 |

| | | | | | | |
|------|--------|---|---|----|----|---------------------|
| S162 | 0 | download\$4 with "whether to" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 23:02 |
| S163 | 0 | download\$4 with "based on" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 23:02 |
| S164 | 246433 | download\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 23:03 |
| S165 | 22347 | download\$4 with based | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 23:03 |
| S166 | 2038 | download\$4 with "based upon" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 23:03 |
| S167 | 117 | download\$4 with "based upon" with whether | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 23:03 |
| S168 | 117 | download\$4 with "based upon" with whether with whether | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 23:04 |
| S169 | 11 | download\$4 with "based upon" with whether with client | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 23:04 |
| S170 | 11 | S147 and S169 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 23:04 |

| | | | | | | |
|------|------|---|---|----|----|---------------------|
| S171 | 2337 | determin\$4 with whether with (respond\$4 grant\$4 download\$4 send\$ fill\$4) with (user client) with request | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 23:10 |
| S172 | 30 | determin\$4 with whether with (respond\$4 grant\$4 download\$4 send\$ fill\$4) with (user client) with request with based with (configuration presence security) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 23:11 |
| S173 | 9 | S147 and S172 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/24 23:12 |
| S174 | 31 | determin\$4 with whether with (respond\$4 grant\$4 download\$4 send\$ fill\$4) with (user client) with request with based with (configuration presence security trust trustworthiness) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/25 00:06 |
| S175 | 37 | (decide determin\$4) with whether with (respond\$4 grant\$4 download\$4 send\$ fill\$4) with (user client) with request with based with (configuration presence security trust trustworthiness) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/25 00:35 |
| S176 | 12 | S175 and S147 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/25 00:36 |
| S177 | 112 | (decide determin\$4) with (respond\$4 grant\$4 download\$4 send\$ fill\$4) with (user client) with request with based with (configuration presence security trust trustworthiness) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/25 00:37 |
| S178 | 47 | S177 and S147 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/25 00:37 |
| S179 | 9 | restrict\$4 with access with (resource file) with (client user) with (security firewall scraper sniffer cracker filter scan\$4) with (enabled active) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/25 00:47 |

| | | | | | | |
|------|---------|---|---|----|-----|---------------------|
| S180 | 4 | S179 and S147 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/25 00:48 |
| S181 | 3 | S146 with active | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/25 00:53 |
| S182 | 0 | S146 with enabled | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/25 00:53 |
| S183 | 3 | S181 and S147 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/25 00:53 |
| S184 | 31 | deny with client with request with (security firewall filter spam anti-virus) | US-PGPUB; USPAT | OR | OFF | 2009/04/25 02:23 |
| S185 | 12 | S147 and S176 | US-PGPUB; USPAT | OR | OFF | 2009/04/25 02:23 |
| S186 | 17 | S147 and S184 | US-PGPUB; USPAT | OR | OFF | 2009/04/25 02:23 |
| S187 | 1545 | (filter firewall security) with active with determin\$4 | US-PGPUB; USPAT | OR | OFF | 2009/04/25 04:00 |
| S188 | 181 | (filter firewall security) with active with (detect\$4 determin \$4) with (client user) | US-PGPUB; USPAT | OR | OFF | 2009/04/25 04:00 |
| S189 | 387 | "network sniffer" "screen scraper" "password cracker" | US-PGPUB; USPAT | OR | OFF | 2009/04/25 04:01 |
| S190 | 4786390 | @ad<"20040525" | US-PGPUB; USPAT | OR | OFF | 2009/04/25 04:01 |
| S191 | 252 | S189 and S190 | US-PGPUB; USPAT | OR | OFF | 2009/04/25 04:01 |
| S192 | 0 | S191 and S188 | US-PGPUB; USPAT | OR | OFF | 2009/04/25 04:01 |
| S193 | 100 | S188 and S190 | US-PGPUB; USPAT | OR | OFF | 2009/04/25 04:01 |
| S194 | 0 | (restrict\$4 deny) with S188 | US-PGPUB; USPAT | OR | OFF | 2009/04/25 04:02 |
| S195 | 2723 | (restrict\$4 deny) with (client user) with request | US-PGPUB; USPAT | OR | OFF | 2009/04/25 04:03 |
| S196 | 4 | S193 and S195 | US-PGPUB; USPAT | OR | OFF | 2009/04/25 04:03 |

| | | | | | | |
|------|---------|---|---|----|-----|---------------------|
| S197 | 1296 | (determin\$4 assess\$4 establish\$4 defin\$4) with (client user) with trust | US-PGPUB; USPAT | OR | OFF | 2009/04/28 12:51 |
| S198 | 535708 | "based upon" "based on" | US-PGPUB; USPAT | OR | OFF | 2009/04/28 12:52 |
| S199 | 28 | S197 with S198 | US-PGPUB; USPAT | OR | OFF | 2009/04/28 12:52 |
| S200 | 6810506 | (security firewall filter active anti-virus antivirus scan\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 12:53 |
| S201 | 2363734 | (security firewall filter active anti-virus antivirus scan\$4) with (active enabled) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 12:53 |
| S202 | 0 | S199 with S201 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 12:53 |
| S203 | 0 | S199 same S201 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 12:53 |
| S204 | 285 | (security firewall filter active anti-virus antivirus scan\$4) with (active enabled) with trust | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 12:54 |
| S205 | 45 | (security firewall filter active anti-virus antivirus scan\$4) with (active enabled) with trust with level | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 12:54 |
| S206 | 12 | (security firewall filter active anti-virus antivirus scan\$4) with (active enabled) with trust with level with (user client) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 12:54 |
| S207 | 3852760 | @ad<"20040225" | USPAT | OR | OFF | 2009/04/28 12:54 |
| S208 | 4 | S206 and S207 | USPAT | OR | OFF | 2009/04/28 12:54 |

| | | | | | | |
|------|---------|---|---|----|-----|---------------------|
| S209 | 9 | S205 and S207 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 12:56 |
| S210 | 2736 | (determin\$4 assess\$4 establish\$4) with (security filter firewall scraper sandbox) with (enabled active) | US-PGPUB; USPAT | OR | OFF | 2009/04/28 12:59 |
| S211 | 10 | (determin\$4 assess\$4 establish\$4) with (security filter firewall scraper sandbox) with (enabled active) with trust | US-PGPUB; USPAT | OR | OFF | 2009/04/28 12:59 |
| S212 | 1 | S211 and S207 | US-PGPUB; USPAT | OR | OFF | 2009/04/28 12:59 |
| S213 | 791 | (determin\$4 assess\$4 establish\$4) with (security filter firewall scraper sandbox) with trust | US-PGPUB; USPAT | OR | OFF | 2009/04/28 13:05 |
| S214 | 160 | (determin\$4 assess\$4 establish\$4) with (security filter firewall scraper sandbox) with trust with (client user) | US-PGPUB; USPAT | OR | OFF | 2009/04/28 13:05 |
| S215 | 15090 | (client user) with request with resource | US-PGPUB; USPAT | OR | ON | 2009/04/28 13:06 |
| S216 | 41 | S214 and S215 | US-PGPUB; USPAT | OR | ON | 2009/04/28 13:06 |
| S217 | 12 | S216 and S207 | US-PGPUB; USPAT | OR | ON | 2009/04/28 13:06 |
| S218 | 2350477 | (security firewall filter active anti-virus antivirus scan\$4) with active | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 19:36 |
| S219 | 20701 | (security firewall filter active anti-virus antivirus scan\$4) with active with determin\$4 with whether | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 19:37 |
| S220 | 1604 | (security firewall filter active anti-virus antivirus scan\$4) with active with determin\$4 with whether with (user client) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 19:37 |
| S221 | 15090 | (client user) with request with resource | US-PGPUB; USPAT | OR | ON | 2009/04/28 19:38 |

| | | | | | | |
|------|---------|--|---|----|-----|---------------------|
| S222 | 133 | S220 and S221 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 19:38 |
| S223 | 3852760 | @ad<"20040225" | USPAT | OR | OFF | 2009/04/28 19:38 |
| S224 | 62 | S220 and S221 and S223 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 19:38 |
| S225 | 1128 | whether with (client user device) with (active activated activation enabl\$4) with (firewall security filter) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 20:12 |
| S226 | 364 | determin\$4 with whether with (client user device) with (active activated activation enabl\$4) with (firewall security filter) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 20:13 |
| S227 | 17 | S226 with firewall | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 20:14 |
| S228 | 101 | S226 and S223 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 20:14 |
| S229 | 17 | S228 and firewall | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 20:14 |
| S230 | 68 | S228 and security | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 20:14 |
| S231 | 59 | S228 and filter | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 20:14 |

| | | | | | | |
|------|--------|--|---|----|-----|---------------------|
| S232 | 3 | S231 and spam | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 20:14 |
| S233 | 101 | S229 S230 S231 S232 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 20:14 |
| S234 | 107716 | client with request\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 20:15 |
| S235 | 25 | S233 and S234 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 20:15 |
| S236 | 68 | S230 and S223 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 20:17 |
| S237 | 388 | "network sniffer" "screen scraper" "password cracker" | US-PGPUB; USPAT | OR | OFF | 2009/04/28 20:44 |
| S238 | 0 | S237 and S236 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 20:44 |
| S239 | 157 | S237 and S223 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 20:44 |
| S240 | 4 | S237 with (active activated) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 20:46 |
| S241 | 2 | S240 and S223 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 20:46 |

| | | | | | | |
|------|----------|---|---|----|-----|---------------------|
| S242 | 3867464 | @ad<"20040225" | USPAT | OR | OFF | 2009/12/29 17:00 |
| S243 | 434 | "network sniffer" "screen scraper" "password cracker" | US-PGPUB; USPAT | OR | OFF | 2009/12/29 17:02 |
| S244 | 22662 | (detect\$4 determin\$5) with (security anti-virus antivirus filter spam firewall S243) with (client user) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/29 17:02 |
| S245 | 11353 | S244 and "client's" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/29 17:02 |
| S246 | 4367 | S244 with "client's" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/29 17:02 |
| S247 | 791 | S242 and S246 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/29 17:03 |
| S248 | 28151087 | @ad<"20040225" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/29 17:04 |
| S249 | 1687 | S246 and S248 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/29 17:04 |
| S250 | 4753 | ("client's") adj2 (security anti-virus antivirus filter spam firewall S243) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/29 17:05 |
| S251 | 3842 | ("client's") adj2 (security anti-virus antivirus spam firewall S243) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/29 17:05 |

| | | | | | | |
|------|----------|--|---|----|----|---------------------|
| S252 | 194 | ("client's") adj2 (security anti-virus antivirus spam firewall S243) adj3 software | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/29 17:06 |
| S253 | 0 | S252 with (enabled disabled) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/29 17:06 |
| S254 | 194 | S251 and S252 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/29 17:06 |
| S255 | 2 | (checks detects determines) adj2 ("client's") adj2 (security anti-virus antivirus spam firewall S243) adj3 software | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/29 17:08 |
| S256 | 0 | S255 and S248 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/29 17:08 |
| S257 | 44 | (checks detects determines) adj2 ("client's") adj2 (security anti-virus antivirus spam firewall S243) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/29 17:08 |
| S258 | 18 | S257 and S248 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/29 17:08 |
| S259 | 28162608 | @ad< "20040225" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/28 12:55 |
| S260 | 789 | server with (reduce\$4 restrict \$4 adjust\$4 increas\$4 modif \$4 determin\$4) with (access \$4 communication\$4 VPN) with (client mobile user wireless cellular) with policy | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/28 12:58 |

| | | | | | | |
|------|----------|---|---|----|-----|---------------------|
| S261 | 253 | server with (reduce\$4 restrict \$4 adjust\$4 increas\$4 modif \$4) with (access\$4 communication\$4 VPN) with (client mobile user wireless cellular) with policy | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/28 12:58 |
| S262 | 18 | server with (reduce\$4 restrict \$4 adjust\$4 increas\$4 modif \$4) with (access\$4 communication\$4 VPN) with (client mobile user wireless cellular) with policy with configuration | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/28 12:59 |
| S263 | 10 | S259 and S262 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/28 12:59 |
| S265 | 13 | server with (reduce\$4 restrict \$4 adjust\$4 increas\$4 modif \$4) with (access\$4 communication\$4 VPN) with (client mobile user wireless cellular) with ((policy with configuration)(security with level)) | USPAT | OR | OFF | 2010/04/28 13:27 |
| S266 | 102 | server with (reduce\$4 restrict \$4 adjust\$4 increas\$4 modif \$4) with (access\$4 communication\$4 VPN) with (client mobile user wireless cellular) with ((policy with configuration)(security with level)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/28 13:27 |
| S267 | 3873832 | @ad< "20040225" | USPAT | OR | OFF | 2010/04/28 13:27 |
| S268 | 16 | S267 and S266 | USPAT | OR | OFF | 2010/04/28 13:27 |
| S269 | 28162608 | @ad< "20040225" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/28 13:31 |
| S270 | 40 | S266 and S269 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/28 13:32 |

| | | | | | | |
|------|----------|--|---|----|-----|---------------------|
| S271 | 28172968 | @ad<"20040225" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/05 12:40 |
| S272 | 941 | policy with configuration with resource | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/05 12:41 |
| S273 | 104 | policy with configuration with resource with request\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/05 12:41 |
| S274 | 26 | S271 and S273 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/05 12:41 |
| S275 | 24 | S271 and S273 and server | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/05 12:41 |
| S276 | 24 | S271 and S273 and server and S272 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/05 12:43 |
| S277 | 24 | S271 and S273 and server and S272 and (request\$4 with resource) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/05 12:44 |
| S278 | 8 | S271 and S273 and server and S272 and (request\$4 with server with resource) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/05 12:49 |
| S279 | 3892478 | @ad<"20040225" | USPAT | OR | OFF | 2011/11/14 11:56 |
| S280 | 0 | ("virtual sandbox" with (encrypt\$4 key)) | USPAT | OR | OFF | 2011/11/14 11:57 |
| S281 | 45 | (sandbox with (encrypt\$4 key)) | USPAT | OR | OFF | 2011/11/14 11:59 |
| S282 | 23 | S279 and S281 | USPAT | OR | OFF | 2011/11/14 11:59 |

| | | | | | | |
|------|----------|---|---|----|----|---------------------|
| S283 | 202 | (sandbox with (encrypt\$4 key)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/11/14 11:59 |
| S284 | 28189188 | @ad<"20040225" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/11/14 12:00 |
| S285 | 8 | (sandbox with (encrypt\$4 with key)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/11/14 12:00 |
| S286 | 4 | S284 and S285 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/11/14 12:00 |

EAST Search History (Interference)

< This search history is empty >

11 / 14 / 2011 3:00:59 PM

C:\ Documents and Settings\ rkeehn\ My Documents\ EAST\ Workspaces\ 10786862.wsp